

Pioneer

Service Manual



X-SMC5-K

ORDER NO.
RRV4276

Slim AV Micro System

X-SMC5-K

X-SMC5-S


THIS MANUAL IS APPLICABLE TO THE FOLLOWING MODEL(S) AND TYPE(S).

Model	Type	Power Requirement	Region No.	Serial No.	Remarks
X-SMC5-K	SYXZT8	AC 100 V to 240 V	2	&&&#####YY	YY : Europe
X-SMC5-S	SYXZT8	AC 100 V to 240 V	2	&&&#####YY	YY : Europe



PIONEER CORPORATION 1-1, Shin-ogura, Saiwai-ku, Kawasaki-shi, Kanagawa 212-0031, Japan
PIONEER ELECTRONICS (USA) INC. P.O. Box 1760, Long Beach, CA 90801-1760, U.S.A.
PIONEER EUROPE NV Haven 1087, Keetberglaan 1, 9120 Melsele, Belgium
PIONEER ELECTRONICS ASIACENTRE PTE. LTD. 253 Alexandra Road, #04-01, Singapore 159936
 ©PIONEER CORPORATION 2011


K-IZV NOV. 2011 Printed in Japan



(2) CONTRAST TABLE

X-SMC5-K/SYXZT8 and X-SMC5-S/SYXZT8 are constructed the same except for the following:

Mark	No.	Symbol and Description	X-SMC5-K /SYXZT8	X-SMC5-S /SYXZT8
	1	DISPLAY PCB Assy	A2P362ADP0	A2P361ADP0
	2	DOCK PCB Assy	A2P362AFF0	A2P361AFF0
	3	BLUETOOTH PCB Assy	A2P362AFG0	A2P361AFG0
	4	MAIN PCB Assy	A2P362AF40	A2P361AF40
	5	OPERATION PCB Assy	A2P362A270	A2P361A270
	6	TUNER PCB Assy	A2P362A290	A2P361A290
	7	DVD MT PCB Assy	A2P362A130	A2P361A130
	31	Front Panel Assy	7A701B416A	7A701B405A
	32	Front Panel	701WPQA021	701WPHA001



X-SMC5-K

2

3

4